



CONSTRUCTION CERTIFICATE (AMENDED)

Pursuant to Part 6 of the Environmental Planning & Assessment Act 1979

CERTIFICATE NO.:	CC-21028/A
TYPE:	<input checked="" type="checkbox"/> Building Work
DETERMINATION:	Approved
DATE OF DETERMINATION:	16 March 2021
DATE OF AMENDMENT A:	26 November 2021
SUBJECT LAND:	
Lot & DP	Lot 11 DP 1178389
Address	2 Aldington Road, Kemps Creek NSW 2178
LOCAL GOVERNMENT AREA:	Penrith City Council
APPLICANT:	
Name	Graham Pinney
Company	Goodman Property Services (Aust) Pty Ltd
Address	1-11 Hayes Road, Rosebery NSW 2018
Phone / Fax / Email	Phone: 02 9230 7120 Email: graham.pinney@goodman.com
OWNER:	
Name	BGMG 11 Pty Ltd
Address	1-11 Hayes Road, Rosebery NSW 2018
Phone / Fax / Email	Phone: 02 9230 7120 Email: graham.pinney@goodman.com
DESCRIPTION OF DEVELOPMENT:	Fit-out of the facility with automation and associated conveyance equipment. <i>Note:</i> <ol style="list-style-type: none">This staged Construction Certificate has been issued for the building works described above only. Separate Construction Certificate/s will be required prior to commencement of any subsequent works.This Construction Certificate excludes any external ancillary services, structures or civil works required by relevant authorities.This staged Construction Certificate excludes all tenant fitout works.
DESCRIPTION OF AMENDMENT A:	Performance Solution for reduced head height and modification to equipment layout (Composite 2.2).
BCA CLASSIFICATION:	Class 5 & 7b
DEVELOPMENT CONSENT:	
Development Application No. & Date of Determination	SSD 10397 (09.04.2020)
STATUTORY CERTIFICATION:	
	<i>Work completed in accordance with documentation accompanying the application for the certificate (with such modifications verified by the certifying authority as may be shown on that documentation) will comply with the requirements of the Environmental Planning & Assessment Regulation 2000 as are referred to in Part 6 of the Environmental Planning & Assessment Act 1979.</i>
APPROVED PLANS:	Refer to Schedule 1
FIRE SAFETY SCHEDULE:	Refer to Schedule 2
CONDITIONS:	Refer to Schedule 3
CERTIFYING AUTHORITY DETAILS:	
Certifying Authority	Blackett Maguire + Goldsmith Pty Ltd
Accreditation No.	RBC00004
SIGNATURE:	
SIGNED ON BEHALF OF BM+G:	Dean Goldsmith
	Date: 26/11/2021 Accreditation No. BDC 0141



SCHEDULE 1

SCHEDULE OF DOCUMENTATION

APPROVED PLAN (AMENDMENT A)

- + Architectural Plans prepared by SBA Architects Pty Ltd:

DRAWING NUMBER	REV	DATE	DRAWING NUMBER	REV	DATE
BWU2-SBA-WH-GF-DR-AR-201	K	20.10.2021			

APPROVED PLANS

- + Architectural Plans prepared by SBA Architects Pty Ltd:

DRAWING NUMBER	REV	DATE	DRAWING NUMBER	REV	DATE
BWU2-SBA-WH-GF-DR-AR-201	H	01.12.2020	BWU2-SBA-WH-L2-DR-AR-203	G	01.12.2020
BWU2-SBA-WH-L1-DR-AR-202	H	01.12.2020	BWU2-SBA-WH-L3-DR-AR-204	G	01.12.2020

- + Architectural Plans prepared by Vanderlande:

DRAWING NUMBER	REV	DATE	DRAWING NUMBER	REV	DATE
21951-330-0100AE01	A	18.12.2020	21951-330-0100AE04	A	18.12.2020
21951-330-0100AE02	A	18.12.2020	21951-330-0900AE01	A	18.12.2020
21951-330-0100AE03	A	18.12.2020	21951-330-0900AE02	A	18.12.2020

DOCUMENTATION RELIED UPON

In conjunction with the approved plans and specifications the following documentation was relied upon in issuing the Construction Certificate:

- + Documentation:

ITEM	DOCUMENTATION	PREPARED BY	DATE
CC-21028			
1.	CC Application Form	Goodman Property Services (Aust) PL	01.03.2021
2.	Long Service Levy Receipt No. 00468861	Long Service Corporation	25.02.2021
3.	D3.4 Concession Exemption Letter	Goodman Property Services (Aust) PL	01.10.2020
4.	Hydraulic Services (FH & FHR) Design Compliance Statement	ACOR Consultants	09.02.2021
5.	Certificate of Design - Electrical	Vanderlande Industries Australia PL	09.12.2020
6.	FH & FHR Coverage Plans	SBA Architects PL	01.12.2020
7.	Notice of Requirements for Section 73 Compliance Certificate	Sydney Water Corporation	26.08.2020
8.	Tap In Building Approval + stamped plans	Sydney water Corporation	12.05.2020
9.	Section J DTS Report	Sustainable Development Consultants	09.07.2020
10.	Structural Design Certificate – Conveyor Support Platforms	Abbot Design (AUST) Pty Ltd	01.03.2021
11.	Letter of Consistency with Fire Engineering Report	Innova Services	19.02.2021
12.	Electrical Services Design Compliance Statement	ACOR Consultants	12.02.2021
13.	Mechanical Services Design Compliance Statement	ACOR Consultants	22.02.2021
14.	Construction Environmental Management Plan	SLR	07.05.2020



ITEM	DOCUMENTATION	PREPARED BY	DATE
15.	Section J Confirmation Letter	Sustainable Development Consultants	11.02.2021
16.	Architectural Design Compliance Statement	SBA Architects PL	22.02.2021
17.	Advice for Construction Certificate for Fit-out	Allens Linklaters	01.03.2021
18.	Architectural Design Compliance Statement (DA Condition #A2/B1)	SBA Architects PL	03.03.2021
19.	Certificate of Design Intent – Structural	Vanderlande	15.03.2021
20.	Structural Design Statement	Costin Roe	15.03.2021
CC-21028/A			
21.	CC Modification Application Form	Goodman Property Services PL	28.10.2021
22.	Architectural Design Compliance Statement	SBA Architects PL	19.11.2021
23.	Design Statement - Hydraulic	ACOR Consultants	22.11.2021
24.	Letter of Consistency - FER	Innova Services	22.11.2021
25.	Design Statement - Electrical	ACOR Consultants	26.11.2021
26.	Performance Based Design Report	Innova Services	19.11.2021

EP&A AMENDMENT (FIRE SAFETY & BUILDING CERTIFICATION) REGULATION 2017

Documentation relied upon as required by the Environment Planning & Assessment Amendment (Fire Safety & Building Certification) Regulation 2017:

- + Proposed Alternative Solution Reports in respect of a fire safety requirement:

TITLE OF REPORT: Fire Engineering Report
DATE OF REPORT: 30.07.2021
REFERENCE NO. & VERSION: 19378-R01 Rev 8
NAME OF FIRE SAFETY ENGINEER: Jason Powell
ACCREDITATION NO.: BDC0801

- + Plans and Specifications relating to Relevant Fire Safety Systems:

ITEM	DOCUMENTATION (AMENDMENT A)	PREPARED BY	DATE
27.	Design Certificate – Fire Services	Force Fire	26.11.2021
28.	Design Endorsement Certificate – Fire Sprinkler, Detection & Alarm Systems	Force Fire	06.08.2021
29.	Fire Services Drawing No's: BWU2-FOR-WH-GF-DR-FS-101, 102, 103 & 104	Force Fire	18.12.2020



+ Plans and Specifications relating to Relevant Fire Safety Systems:

ITEM	DOCUMENTATION	PREPARED BY	DATE
21.	Design Certificate – Fire Services	Force Fire	12.02.2021
22.	Design Endorsement Certificate – Fire Sprinkler, Detection & Alarm Systems	Force Fire	12.02.2021
23.	Fire Services Drawing No's: BWU2-FOR-WH-GF-DR-FS-150-P1, BWU2-FOR-WH-GF-DR-FS-151-P1, BWU2-FOR-WH-GF-DR-FS-152-P1 & BWU2-FOR-WH-GF-DR-FS-153-P1,	Force Fire	18.12.2020

Pursuant to clause 146B of the EP&A regulation 2000, Blackett Maguire + Goldsmith Pty Ltd (RBC00004) is satisfied that the above plans and specifications correctly identifies both the performance requirements and the deemed-to-satisfy provisions of the Building Code of Australia.



SCHEDULE 2

FIRE SAFETY SCHEDULE

Issued under Clause 168 of the Environmental Planning & Assessment Regulation 2000

ADDRESS:	2 Aldington Road, Kemps Creek NSW 2178
OWNER:	BGMG 11 Pty Ltd
DEVELOPMENT APPLICATION NO.:	SSD 10397
CONSTRUCTION CERTIFICATE NO.:	CC-21028/A

The following essential fire safety measures shall be implemented in the whole of the building premises and each of the fire safety measures must satisfy the standard of performance listed in the schedule, which, for the purposes of Clause 168 of the Environmental Planning and Assessment Regulation 2000, is deemed to be the current fire safety schedule for the building.

SCHEDULE

Statutory Fire Safety Measure	Design / Installation Standard	Existing
Alarm Signalling Equipment	AS 1670.3 – 2018	✓
Automatic Fail Safe Devices	BCA Clause D2.21	✓
Automatic Fire Detection & Alarm System	BCA Spec. E2.2a & AS 1670.1 – 2018 and Fire Safety Engineering Report prepared by Innova Services, Report No. 19378-R01, Revision 6, dated 11.12.2020	✓
Automatic Fire Suppression Systems	BCA Spec. E1.5 & AS 2118.1 – 2017 and Fire Safety Engineering Report prepared by Innova Services, Report No. 19378-R01, Revision 6, dated 11.12.2020	✓
Building Occupant Warning System activated by the Sprinkler System	BCA Spec. E1.5, Clause 8 and Clause 3.22 of AS 1670.1 – 2018	✓
Emergency Lighting	BCA Clause E4.4 & AS 2293.1 – 2018	✓
Emergency Management Plan	AS 3745-2010 and Fire Safety Engineering Report prepared by Innova Services, Report No. 19378-R01, Revision 6, dated 11.12.2020	
Exit Signs (including Dynamic Exit Signs)	BCA Clauses E4.5, E4.6 & E4.8; and AS 2293.1 – 2018 and Fire Safety Engineering Report prepared by Innova Services, Report No. 19378-R01, Revision 6, dated 11.12.2020	✓
Fire Control Centre	BCA Spec E1.8	✓
Fire Doors	BCA Clause C2.12, C2.13, C3.5, C3.8; and AS 1905.1 – 2015 and manufacturer's specification, and Fire Safety Engineering Report prepared by Innova Services, Report No. 19378-R01, Revision 6, dated 11.12.2020	✓
Fire Hose Reels	BCA Clause E1.4 & AS 2441 – 2005 and Fire Safety Engineering Report prepared by Innova Services, Report No. 19378-R01, Revision 6, dated 11.12.2020	✓
Fire Hydrant Systems	Clause E1.3 & AS 2419.1 – 2005 and Fire Safety Engineering Report prepared by Innova Services, Report No. 19378-R01, Revision 6, dated 11.12.2020	✓
Fire Seals	BCA Clause C3.15, AS 1530.4 – 2014 & AS 4072.1 – 2005 and manufacturer's specification	✓
Fire Shutters	AS 1905.1-2005 and Fire Safety Engineering Report prepared by Innova Services, Report No. 19378-R01, Revision 6, dated 11.12.2020	✓
Insulated Sandwich Panels	IPCA Code of Practice 2017 and Fire Safety Engineering Report prepared by Innova Services, Report No. 19378-R01, Revision 6, dated 11.12.2020	



Statutory Fire Safety Measure	Design / Installation Standard	Existing
Mechanical Air Handling Systems	BCA Clause E2.2, AS/NZS 1668.1 – 2015 & AS 1668.2 – 2012 and Fire Safety Engineering Report prepared by Innova Services, Report No. 19378-R01, Revision 6, dated 11.12.2020	✓
Paths of Travel	EP&A Regulation Clause 186 and Fire Safety Engineering Report prepared by Innova Services, Report No. 19378-R01, Revision 6, dated 11.12.2020	✓
Perimeter Vehicular Access	BCA Clause C2.4 and Fire Safety Engineering Report prepared by Innova Services, Report No. 19378-R01, Revision 6, dated 11.12.2020	✓
Portable Fire Extinguishers	BCA Clause E1.6 & AS 2444 – 2001	✓
Required Exit Doors (power operated)	BCA Clause D2.19(b)	✓
Smoke Hazard Management Systems – Smoke Exhaust	BCA Part E2, Spec. E2.2b& AS/NZS 1668.1 –2015 and Fire Safety Engineering Report prepared by Innova Services, Report No. 19378-R01, Revision 6, dated 11.12.2020	✓
Warning & Operational Signs	Section 183 of the EP&A Regulation 2000, AS 1905.1 – 2015, BCA Clause D2.23, D3.6, E3.3 and Fire Safety Engineering Report prepared by Innova Services, Report No. 19378-R01, Revision 6, dated 11.12.2020	✓
Fire engineered Alternative Solutions relating to: <ul style="list-style-type: none"> + Perimeter Vehicular Access limitations + Fire Resistance Levels – Tensile Membrane Action + Fire Resistance – Omission of fire rating to Ground Floor Office and Mezzanine + Vertical separation of shafts + Fire Resisting Construction-Support of another part + Fire Resistance Levels-Rationalisation of Fire Resistance to Sanitary Facilities/Break-Out Rooms + Exposure between Fire Compartments + Width of Egress Travel Path + Discharge from Fire Isolated Stairs into Main Entry Lobby + Extended Egress Distances and Rationalised Smoke Hazard Management design + Fire Hydrant System design, including booster location, x3 lengths of hose for coverage and external hydrants under awnings & Sprinkler Booster location + Deletion of Fire Hose Reels to the Level 1-3 Robotics Fields and use of 50m Hose Reels in all other areas + Deletion of Directional Emergency Exit Signage to the Level 1-3 Robotics Fields 	BCA Performance Requirements CP1, CP2, CP8, CP9, DP4, DP5, DP6, EP1.1, EP1.3, EP1.4, EP2.2 & EP4.2, Fire Safety Engineering Report prepared by Innova Services, Report No. 19378-R01, Revision 6, dated 11.12.2020	✓
Performance Solution relating to: <ul style="list-style-type: none"> + Maintenance area path height clearances 	BCA Performance Requirements DP6 & FP3.1, Performance Based Design Report prepared by Innova Services, Report No. 19378-R03, Revision 2, dated 19.11.2021	✓



SCHEDULE 3

CONDITIONS OF CONSTRUCTION CERTIFICATE

There are no conditions pursuant to clause/s 144, 146B, 187 & 188 of the Environmental Planning & Assessment Regulation 2000 at the date of issue of this Construction Certificate.



26 November 2021

The General Manager
Penrith City Council
PO Box 60
PENRITH NSW 2751

Dear Sir / Madam,

**REFERENCE: DA NO. SSD 10397
2-18 ALDINGTON ROAD, KEMPS CREEK (OAKDALE WEST ESTATE – FITOUT)
CONSTRUCTION CERTIFICATE**

As required by Clause 142(2) of the EP&A Regulation 2000 (the Regulation) notice is hereby given that the following application for Construction Certificate has now been approved.

Applicant: Goodman Property Services (Aust) Pty Ltd
Subject Address: 2-18 Aldington Road, Kemps Creek
Project No. 200139
Date Received: 26 November 2021
Date Determined: 26 November 2021

Please find undercover a copy of the Construction Certificate No. CC-21028/A for Fit-out of the facility with automation and associated conveyance equipment.

Amendment A being for: Performance Solution for reduced head height and modification to equipment layout (Composite 2.2).

We have also enclosed a copy of the following for Councils record:

- + Application form;
- + Fire Safety Schedule; and
- + Approved documentation and other documentation relied upon as indicated on the Construction Certificate.

Pursuant to Clause 263(2) Environmental Planning and Assessment Regulation 2000, please find enclosed a cheque to the sum of \$36.00 for the submission of this Part 4A Certificate and request that a receipt for which is forwarded to our office.

If we have provided the approved documentation to you electronically on a USB storage device, we would like to advise you that this device is for transmittal purposes only and is not designed for long term storage, please transfer all documentation to a purpose designed form of storage media.

Please contact the undersigned should you have any further enquiries on 02 9211 7777.

Yours sincerely,

Dean Goldsmith
Director
Blackett Maguire + Goldsmith Pty Ltd



BLACKETT
MAGUIRE+
GOLDSMITH

26 November 2021

Goodman Property Services (Aust) Pty Ltd
1-11 Hayes Road
Rosebery NSW 2018

Attention: Graham Pinney

Dear Graham,

**REFERENCE: DA NO. SSD 10397
2-18 ALDINGTON ROAD, KEMPS CREEK (OAKDALE WEST ESTATE – FITOUT)
CONSTRUCTION CERTIFICATE**

Your recent application for a Construction Certificate dated 28.10.2021 has now been approved. We hereby enclose a copy of the Construction Certificate No. CC-21028/A and associated documentation for Fit-out of the facility with automation and associated conveyance equipment.

Amendment A being for: Performance Solution for reduced head height and modification to equipment layout (Composite 2.2).

We have forwarded a copy of the Construction Certificate together with the approved documentation to Council for its record.

Please also find attached an inspection schedule relevant to this development. The inspection schedule identifies the necessary Statutory Mandatory Critical Stage Inspections that must be undertaken together with other inspections of the progress building works, by our office.

It is the client's responsibility to ensure that our office is contacted with not less than 48 hours' notice for our attendance to each of these inspections.

The primary reason for these Statutory Mandatory Critical Stage Inspections is to ensure that the development proceeds in accordance with the development consent, Construction Certificates and that the development is fit for occupation in accordance with its classification under the Building Code of Australia. The Principal Certifying Authority does not undertake detailed quality control inspections. Critical Stage Inspections do not provide the level of supervision required to ensure that the minimum standards and tolerances specified by the 'Guide to Standards and Tolerances 2017 ©' are achieved.

The quality of any development is a function of the quality of the principal contractor's or owner builder's supervision of individual contractors and trades on a daily basis during the development. The PCA does not undertake this role.

The NSW Office of Fair Trading have published a 'Guide to Standards and Tolerances 2017 ©'. The guide can be obtained from the Office of Fair Trading website.

We thank you for your assistance in this matter and should you have any enquiries please do not hesitate to contact me on 9211 7777.

Yours sincerely,

Dean Goldsmith
Director
Blackett Maguire + Goldsmith Pty Ltd

Address | Suite 2.01,
22-36 Mountain St
Ultimo NSW 2007

Postal | PO Box 167
Broadway NSW 2007
ABN | 18 408 985 851

Contact | Ph: 02 9211 7777
Fax: 02 9211 7774
Email: admin@bmplug.com.au